

DELTEC AQUARIUMS

To take a line from a well known television advert:

Deltec aquariums are probably the best aquariums in the world.

The attention to detail, unique styling and ability to create a fully systemised aquarium to the exact requirements of the individual is something that is hard to find from any other company.

Many people would like to own a Deltec tank however not everyone can justify the expense of such a quality item.

Each unit is made by hand to order for the customer and takes approximately 6 weeks to complete.

The cabinet and hood is constructed more like a piece of fine furniture than an aquarium and on the tank itself every piece of glass has polished edges, even on the sump.

If Deltec HLP pumps are specified then the tank will operate almost silently which is important if it is to be positioned in the living room and still allow enjoyment of the television on an evening.

We have included a four page example price menu to allow you to determine the potential cost of a Deltec Systemised Aquarium.

These prices should be used as a guide and are based on an exchange rate of 1.10 euros to the pound.

If this then becomes a serious enquiry then we will produce an individual quotation for each aquarium.

SPECIFICATION OPTIONS AVAILIABLE

DIMENSIONS

Aquariums are available in any length, width or depth that can be transported to or constructed on site, however standard sizes are available and work out more cost effective. These sizes are 130cm, 160cm 200cm x 60cm x 60cm water depth.

FINISHES

Laminate - 3mm melamine laminate version available in 8 colours including silver and wood effects.

Trendline / Softline - Spray painted finish in either base colour or metallic finishes (eg Porsche Silver) in any colour imaginable and to an unbelievable quality of finish and depth of gloss.

Solid Wood - These products are no longer available

SHAPE OPTIONS

Square - Standard rectangle shape.

Panorama - front corners cut off or all corners if used as a partition (Multiple panorama).

Bow Front - available in some widths 130, 160, 200 as standard option.

Variation of multiples of the above - ie square with a panorama or bow in the center.

TANKS

Unbelievable quality of finish with all edges ground and polished even on the stress bars and sump tank.

Glass thickness at least one size up on the average UK standard as Deltec understand the real stresses that can be created in a tank over time and with vigorous water movement.

The tanks are built to cope with the stresses for the whole of their life, which may be up to 10 -15 years.

Options for overflow boxes and sump or internal filters or no filter. Dry boxes are used to allow passage of plugs and pipes from the base to the tank and hood so that nothing is seen outside of the aquarium.

The quality of silicone work is excellent and all carried out by hand in black silicone or clear as specified.

CABINETS

All cabinets have a metal frame, which undergoes a multistage, baked paint system for long life. This is critical to the strength of the tank in the long term.

The cabinet comes with adjustable feet to allow the tank to be leveled which is also paramount to reducing the stresses on the glass over time. The feet can be re-adjusted if any movement of the floor occurs.

Cabinets are fitted with a waterproof base to reduce spills and have an open back for ventilation.

The laminate finish units and Microreef are manufactured from a quality 3mm melamine laminate, which is cut with exceptional care and mounted to the frame. Edges are finished with a matching molding and the whole unit is mitred with very clean edges.

DELTEC AQUARIUMS

Deltec cabinets continued:

Trendline and Softline cabinets are manufactured from a special fully waterproof composite board which is machined to shape and assembled onto the frame then sent to the paintshop where the whole unit receives at least 3 coats of automotive quality 2 pack polyurethane paint which is baked hard between coats.

Doors on the Trendline and Softline units are hinged and removable with recessed handles whereas on the laminate units they slide from side to side and are also easily removable. Laminate system lids and doors are given increased strength by bonding pieces of polished glass to the inside of the laminate board.

Metallic colour options such as "Porsche Silver" literally use the paint supplied for painting Porsche cars, which is then lacquered to give a deep gloss inside and out including the frame.

The top cabinet or tank surround is given the same coating treatment and then mounted to the tank.

SYSTEMISED EQUIPMENT OPTIONS

Tanks and cabinets can be purchased without any ancillary equipment or can be fully loaded to a specification of the customer's own choice.

Typical options would be:

T5 or Metal Halide lighting options which can be painted to match the aquarium.

Acrylic Sump with all pipework from the overflow box.

Sprinkler filter - a very efficient wet/dry aerobic sprinkler filter with spinning head.

ECO Cooler - a low running cost evaporative cooler which can match most refrigerant coolers but without the running cost or the noise.

Skimmer to suit chosen tank size.

Return pump system using either a silent Deltec HLP Pump or an Eheim submersible.

Closed Loop Systems and extra dry chambers to achieve surging water flows with in the aquarium by using a Deltec HLP Interval Pump or IKS control unit.

Caulerpa Bed with Lighting.

Calcium Reactor with all piping connections.

Kalkwasser Stirrer.

Top Up Reservoir, pump and controller.

Plug Bar Systems.

Reef Flushing Systems - to blast detritus from behind rocks and in dead spaces for removal by the overflow.

Any other equipment that can be thought of can be quoted on request.

ASSEMBLY AND DELIVERY

The units arrive at the shop or customers premises fully assembled with only a few connections to be made between the tank and cabinet.

The tanks are first wrapped with tissue and then with cellophane and then with bubble wrap before placing on a pallet and boxing the whole unit in a chip board carcass.

The pallet will turn up on the customer's doorstep via a tail lift lorry and from there on it is up to the customer to get it into his house. Be warned that these tanks are not light due to the extra thickness of the glass, the metal frame and all of the equipment so you will have to have a number of friends on the day to help depending on the size of the tank.

2 YEAR WARRANTY

The design, materials and build of the tank, cabinet and equipment are warranted for 2 years if correctly installed in accordance with Deltec installation instructions which will be supplied with the aquarium.

SRP PRICE EXAMPLE FOR A COMMONLY REQUESTED DELTEC AQUARIUM SIZE - LAMINATE FINISH

LAMINATE TYPE 40	AQUARIUM (390 lt) 130 cm x 60 cm x 50 cm (water depth) in Square Laminate Finish Trim. Floating base aquarium in 10 mm polished glass, (sides & base) and black silicone as standard. All stress bars polished and positioned to suit the chosen lighting method. Overflow box with pre-filtration and Deltec Special Overflow Grid / pipework and silent operation. Dry box for passage of cables and pipework without them being visible externally to the aquarium. 3mm thick high quality melamine laminate trim to top and bottom of tank in a range of 9 colours.	1653.00
LAMINATE TYPE 50	CABINET 130 cm x 50 cm x 70 cm in Laminate Finish. Integral Metal Frame with multi-stage baked coating system. Fully adjustable feet for leveling of the aquarium to prevent stress on the glass. Waterproof base tray for collecting small spills. Sliding doors with glass panels bonded to the rear for strength and condensation damage. 3mm thick high quality melamine laminate finish to cabinet in a range of 9 colours.	904.00
AQUARIUM OPTIONS	EXTRA CHARGE FOR MATT ALUMINIUM LAMINATE TO TANK AND CABINET	00.00
	EXTRA CHARGE FOR PANORAMA DESIGN AQUARIUM. Front corners of the tank are chamfered at a 45 degree angle.	366.00
	EXTRA CHARGE FOR BOW FRONT DESIGN AQUARIUM.	366.00
LIDS	GLASS BONDED LIDS IN LAMINATE FOR SQUARE DESIGN TANKS.	147.00
	GLASS BONDED LIDS IN LAMINATE FOR PANORAMA DESIGN TANKS.	169.00
	GLASS BONDED LIDS IN LAMINATE FOR BOW FRONT DESIGN TANKS.	206.00
T5 LIGHTING OPTION	SIDE CHANNELS FOR T5 LIGHTS (PAIR)	27.00
	COOLING FAN IN LID FOR MULTIPLE T5 LIGHT INSTALLATIONS	156.00
	D-D RAZOR T5 LIGHTS x 2 TWIN 54W UNITS (4 TUBES TOTAL) AT £195.95 EACH	391.90
SUMP AND FILTRATION EQUIPMENT OPTIONS	BARE ACRYLIC SUMP WITH OVERFLOW PIPE AND DEGASSING SPONGES Polished ACRYLIC sump suitable for systems utilising live rock as the main biological filter.	325.00
	ACRYLIC SUMP WITH SPRINKLER FILTER, OVERFLOW PIPES AND BYPASS The sprinkler filter consists of a rotating spray bar above a roll of special non clogging biological media. The system is highly efficient in oxidising ammonia and nitrite to nitrate and is suitable for reef or fish only systems up to 1000 ltr. The bypass allows water to bypass the sprinkler system to control the overflow volume.	463.00
	ACRYLIC SUMP WITH ECO COOLER, THERMOSTAT, OVERFLOW PIPES AND BYPASS The eco-cooler, like the sprinkler system consists of a rotating spray bar above a roll of special non clogging biological media. The unit uses fans to draw air through the wet media to create evaporation which cools down the water. The system is highly effective and operates at very low electrical running costs and low noise levels. Independent control via a thermostat (Can use IKS). The bypass allows water to bypass the sprinkler system to control the overflow volume.	1212.00
RETURN PUMP OPTIONS	EHEIM 1260 SUBMERSIBLE RETURN PUMP AND RIGID PIPEWORK	233.00
	HLP 4745 EXTERNAL RETURN PUMP AND RIGID PIPEWORK	569.00
CLOSED LOOP OPTION.	SECOND DRY CHAMBER FOR CLOSED LOOP OPTION	183.00
	HLP 4745 INTERVAL PUMP (OPTION - NON INTERVAL PUMP WITH IKS CONTROL) Draws water from the aquarium and returns to the aquarium without passing through the sump. the built in interval controller allows timed on off operation of the pump.	761.00
EQUIPMENT OPTIONS	TOP UP SYSTEM (33LTR) INCLUDING PUMP CONTROLLER AND RESERVOIR.	342.00
	TS1250 TURBO SKIMMER SUITABLE FOR UP TO 500 LTS	389.00
	PF509 CALCIUM REACTOR (SUITABLE FOR TANKS UP TO 500 LTS)	233.00
	KM500 KALKWASSER MIXER	268.00
FREIGHT	ASSEMBLY PACKING AND FREIGHT TO THE DOOR CHARGE (indicative price) The equipment is 95% assembled, packed in a crate and delivered to the door.	650.00

SRP PRICE EXAMPLE FOR A COMMONLY REQUESTED DELTEC AQUARIUM SIZE - TRENDLINE FINISH

TRENDLINE TYPE 40	AQUARIUM (390 lt) 130 cm x 60 cm x 50 cm (water depth) in Square Trendline Finish Trim. Floating base aquarium in 10 mm polished glass, (sides & base) and black silicone as standard. All stress bars polished and positioned to suit the chosen lighting method. Overflow box with pre-filtration and Deltec Special Overflow Grid / pipework and silent operation. Dry box for passage of cables and pipework without them being visible externally to the aquarium. Special 3 coat, hand painted trim panels to top and bottom of tank in an infinite range of colours.	2042.00
TRENDLINE TYPE 50	CABINET 130 cm x 50 cm x 70 cm in Trendline Finish. Integral Metal Frame with multi-stage baked coating system. Fully adjustable feet for leveling of the aquarium to prevent stress on the glass. Waterproof base tray for collecting small spills. Hinged doors with recessed handles and quick release hinges for fast removal. Special 3 coat, hand painted trim panels to top and bottom of tank in an infinite range of colours.	2578.00
AQUARIUM OPTIONS	EXTRA CHARGE FOR METALIC PAINTED FINISH TO TANK AND CABINET	00.00
	EXTRA CHARGE FOR PANORAMA DESIGN AQUARIUM. Front corners of the tank are chamfered at a 45 degree angle.	209.00
	EXTRA CHARGE FOR BOW FRONT SL DESIGN AQUARIUM.	1083.00
LIDS	GLASS BONDED LIDS IN GRAINED PVC FOR SQUARE DESIGN TANKS.	147.00
	GLASS BONDED LIDS IN GRAINED PVC FOR PANORAMA DESIGN TANKS.	169.00
	GLASS BONDED LIDS IN GRAINED PVC FOR BOW FRONT DESIGN TANKS.	206.00
T5 LIGHTING OPTION	SIDE CHANNELS FOR T5 LIGHTS (PAIR)	27.00
	COOLING FAN IN LID FOR MULTIPLE T5 LIGHT INSTALLATIONS	156.00
	D-D MEGATWIN T5 LIGHTS x 2 TWIN 54W UNITS (4 TUBES TOTAL) AT £195.95 EACH	391.90
SUMP AND FILTRATION EQUIPMENT OPTIONS	BARE ACRYLIC SUMP WITH OVERFLOW PIPE AND DEGASSING SPONGES Polished acrylic sump suitable for systems utilising live rock as the main biological filter.	325.00
	ACRYLIC SUMP WITH SPRINKLER FILTER, OVERFLOW PIPES AND BYPASS The sprinkler filter consists of a rotating spray bar above a roll of special non clogging biological media. The system is highly efficient in oxidising ammonia and nitrite to nitrate and is suitable for reef or fish only systems up to 1000 ltr. The bypass allows water to bypass the sprinkler system to control the overflow volume.	463.00
	ACRYLIC SUMP WITH ECO COOLER, THERMOSTAT, OVERFLOW PIPES AND BYPASS The eco-cooler, like the sprinkler system consists of a rotating spray bar above a roll of special non clogging biological media. The unit uses fans to draw air through the wet media to create evaporation which cools down the water. The system is highly effective and operates at very low electrical running costs and low noise levels. Independent control via a thermostat (Can use IKS). The bypass allows water to bypass the sprinkler system to control the overflow volume.	1212.00
RETURN PUMP OPTIONS	EHEIM 1260 SUBMERSIBLE RETURN PUMP AND RIGID PIPEWORK	233.00
	HLP 4745 EXTERNAL RETURN PUMP AND RIGID PIPEWORK	569.00
CLOSED LOOP OPTION.	SECOND DRY CHAMBER FOR CLOSED LOOP OPTION	183.00
	HLP 4745 INTERVAL PUMP (OPTION - NON INTERVAL PUMP WITH IKS CONTROL) Draws water from the aquarium and returns to the aquarium without passing through the sump. the built in interval controller allows timed on off operation of the pump.	761.00
EQUIPMENT OPTIONS	TOP UP SYSTEM (33LTR) INCLUDING PUMP CONTROLLER AND RESERVOIR.	342.00
	TS1250 TURBO SKIMMER SUITABLE FOR UP TO 500 LTS	389.00
	PF509 CALCIUM REACTOR (SUITABLE FOR TANKS UP TO 500 LTS)	233.00
	KM500 KALKWASSER MIXER	268.00
FREIGHT	ASSEMBLY PACKING AND FREIGHT TO THE DOOR CHARGE (indicative price) The equipment is 95% assembled, packed in a crate and delivered to the door.	650.00

SRP PRICE EXAMPLE FOR A COMMONLY REQUESTED DELTEC AQUARIUM SIZE - LAMINATE FINISH

LAMINATE TYPE 40	AQUARIUM (624 lt) 160 cm x 60 cm x 65 cm (water depth) in Square Laminate Finish Trim. Floating base aquarium in 12 mm polished glass, (sides & base) and black silicone as standard. All stress bars polished and positioned to suit the chosen lighting method. Overflow box with pre-filtration and Deltec Special Overflow Grid / pipework and silent operation. Dry box for passage of cables and pipework without them being visible externally to the aquarium. 3mm thick high quality melamine laminate trim to top and bottom of tank in a range of 9 colours.	2473.00
LAMINATE TYPE 50	CABINET 160 cm x 50 cm x 70 cm in Laminate Finish. Integral Metal Frame with multi-stage baked coating system. Fully adjustable feet for leveling of the aquarium to prevent stress on the glass. Waterproof base tray for collecting small spills. Sliding doors with glass panels bonded to the rear for strength and condensation damage. 3mm thick high quality melamine laminate finish to cabinet in a range of 9 colours.	1019.00
AQUARIUM OPTIONS	EXTRA CHARGE FOR MATT ALUMINIUM LAMINATE TO TANK AND CABINET	00.00
	EXTRA CHARGE FOR PANORAMA DESIGN AQUARIUM. Front corners of the tank are chamfered at a 45 degree angle.	508.00
	EXTRA CHARGE FOR BOW FRONT DESIGN AQUARIUM.	508.00
LIDS	GLASS BONDED LIDS IN LAMINATE FOR SQUARE DESIGN TANKS.	183.00
	GLASS BONDED LIDS IN LAMINATE FOR PANORAMA DESIGN TANKS.	211.00
	GLASS BONDED LIDS IN LAMINATE FOR BOW FRONT DESIGN TANKS.	256.00
T5 LIGHTING OPTION	SIDE CHANNELS FOR T5 LIGHTS (PAIR)	27.00
	COOLING FAN IN LID FOR MULTIPLE T5 LIGHT INSTALLATIONS	156.00
	D-D MEGATWIN T5 LIGHTS x 2 TWIN 80W UNITS (4 TUBES TOTAL) AT £229.95 EACH	459.90
SUMP AND FILTRATION EQUIPMENT OPTIONS	BARE ACRYLIC SUMP WITH OVERFLOW PIPE AND DEGASSING SPONGES Polished acrylic sump suitable for systems utilising live rock as the main biological filter.	357.00
	ACRYLIC SUMP WITH SPRINKLER FILTER, OVERFLOW PIPES AND BYPASS The sprinkler filter consists of a rotating spray bar above a roll of special non clogging biological media. The system is highly efficient in oxidising ammonia and nitrite to nitrate and is suitable for reef or fish only systems up to 1000 ltr. The bypass allows water to bypass the sprinkler system to control the overflow volume.	494.00
	ACRYLIC SUMP WITH ECO COOLER, THERMOSTAT, OVERFLOW PIPES AND BYPASS The eco-cooler, like the sprinkler system consists of a rotating spray bar above a roll of special non clogging biological media. The unit uses fans to draw air through the wet media to create evaporation which cools down the water. The system is highly effective and operates at very low electrical running costs and low noise levels. Independent control via a thermostat (Can use IKS). The bypass allows water to bypass the sprinkler system to control the overflow volume.	1427.00
RETURN PUMP OPTIONS	EHEIM 1260 SUBMERSIBLE RETURN PUMP AND RIGID PIPEWORK	233.00
	HLP 5250 EXTERNAL RETURN PUMP AND RIGID PIPEWORK	569.00
CLOSED LOOP OPTION.	SECOND DRY CHAMBER FOR CLOSED LOOP OPTION	183.00
	HLP 5250 INTERVAL PUMP (OPTION - NON INTERVAL PUMP WITH IKS CONTROL) Draws water from the aquarium and returns to the aquarium without passing through the sump. the built in interval controller allows timed on off operation of the pump.	828.00
EQUIPMENT OPTIONS	TOP UP SYSTEM (54LTR) INCLUDING PUMP CONTROLLER AND RESERVOIR.	364.00
	TS1060 TURBO SKIMMER SUITABLE FOR UP TO 1000 LTS	627.00
	PF501 CALCIUM REACTOR (SUITABLE FOR TANKS UP TO 1000 LTS)	381.00
	KM500 KALKWASSER MIXER	268.00
FREIGHT	ASSEMBLY PACKING AND FREIGHT TO THE DOOR CHARGE (indicative price) The equipment is 95% assembled, packed in a crate and delivered to the door.	650.00

SRP PRICE EXAMPLE FOR A COMMONLY REQUESTED DELTEC AQUARIUM SIZE - TRENDLINE FINISH

TRENDLINE TYPE 40	AQUARIUM (576 lt) 160 cm x 60 cm x 60 cm in Square Trendline Finish Trim. Floating base aquarium in 12 mm polished glass, (sides & base) and black silicone as standard. All stress bars polished and positioned to suit the chosen lighting method. Overflow box with pre-filtration and Deltec Special Overflow Grid / pipework and silent operation. Dry box for passage of cables and pipework without them being visible externally to the aquarium. Special 3 coat, hand painted trim panels to top and bottom of tank in an infinite range of colours.	2855.00
TRENDLINE TYPE 50	CABINET 160 cm x 50 cm x 70 cm in Trendine Finish. Integral Metal Frame with multi-stage baked coating system. Fully adjustable feet for leveling of the aquarium to prevent stress on the glass. Waterproof base tray for collecting small spills. Hinged doors with recessed handles and quick release hinges for fast removal. Special 3 coat, hand painted trim panels to top and bottom of tank in an infinite range of colours.	2903.00
AQUARIUM OPTIONS	EXTRA CHARGE FOR METALIC PAINTED FINISH TO TANK AND CABINET	00.00
	EXTRA CHARGE FOR PANORAMA DESIGN AQUARIUM. Front corners of the tank are chamfered at a 45 degree angle.	259.00
	EXTRA CHARGE FOR BOW FRONT SL DESIGN AQUARIUM (65 cm increased water depth) .	1346.00
LIDS	GLASS BONDED LIDS IN GRAINED PVC FOR SQUARE DESIGN TANKS.	183.00
	GLASS BONDED LIDS IN GRAINED PVC FOR PANORAMA DESIGN TANKS.	211.00
	GLASS BONDED LIDS IN GRAINED PVC FOR BOW FRONT DESIGN TANKS.	256.00
T5 LIGHTING OPTION	SIDE CHANNELS FOR T5 LIGHTS (PAIR)	27.00
	COOLING FAN IN LID FOR MULTIPLE T5 LIGHT INSTALLATIONS	156.00
	D-D MEGATWIN T5 LIGHTS x 2 TWIN 80W UNITS (4 TUBES TOTAL) AT £229.95 EACH	459.90
SUMP AND FILTRATION EQUIPMENT OPTIONS	BARE ACRYLIC SUMP WITH OVERFLOW PIPE AND DEGASSING SPONGES Polished acrylic sump suitable for systems utilising live rock as the main biological filter.	357.00
	ACRYLIC SUMP WITH SPRINKLER FILTER, OVERFLOW PIPES AND BYPASS The sprinkler filter consists of a rotating spray bar above a roll of special non clogging biological media. The system is highly efficient in oxidising ammonia and nitrite to nitrate and is suitable for reef or fish only systems up to 1000 ltr. The bypass allows water to bypass the sprinkler system to control the overflow volume.	494.00
	ACRYLIC SUMP WITH ECO COOLER, THERMOSTAT, OVERFLOW PIPES AND BYPASS The eco-cooler, like the sprinkler system consists of a rotating spray bar above a roll of special non clogging biological media. The unit uses fans to draw air through the wet media to create evaporation which cools down the water. The system is highly effective and operates at very low electrical running costs and low noise levels. Independent control via a thermostat (Can use IKS). The bypass allows water to bypass the sprinkler system to control the overflow volume.	1427.00
RETURN PUMP OPTIONS	EHEIM 1260 SUBMERSIBLE RETURN PUMP AND RIGID PIPEWORK	233.00
	HLP 5250 EXTERNAL RETURN PUMP AND RIGID PIPEWORK	569.00
CLOSED LOOP OPTION.	SECOND DRY CHAMBER FOR CLOSED LOOP OPTION	183.00
	HLP 5250 INTERVAL PUMP (OPTION - NON INTERVAL PUMP WITH IKS CONTROL) Draws water from the aquarium and returns to the aquarium without passing through the sump. the built in interval controller allows timed on off operation of the pump.	828.00
EQUIPMENT OPTIONS	TOP UP SYSTEM (54LTR) INCLUDING PUMP CONTROLLER AND RESERVOIR.	364.00
	TS1060 TURBO SKIMMER SUITABLE FOR UP TO 1000 LTS	627.00
	PF500 CALCIUM REACTOR (SUITABLE FOR TANKS UP TO 1000 LTS)	381.00
	KM500 KALKWASSER MIXER	268.00
FREIGHT	ASSEMBLY PACKING AND FREIGHT TO THE DOOR CHARGE (indicative price) The equipment is 95% assembled, packed in a crate and delivered to the door.	650.00